


PRODUCT SPECIFICATION




RW390 SINGLE HEAD RETROFLEX SYSTEM



COMPONENT SPECIFICATIONS RW3902475

SOLAR ARRAY	390W (8'6" IN LENGTH) WITH ADJUSTABLE ALUMINUM ARRAY
LIGHTING	60W
BATTERY	24V - 75A LITHIUM ION 1.8KWH (12+ YEARS LIFE EXPECTANCY)
CONTROLLER	ELECTRONIC MPPT CHARGE CONTROLLER / REGULATOR
LIGHTING CONTROLS	BLUETOOTH MONITORING
EPA (SQFT)	8.71

RW780 DOUBLE HEAD ROADWAY RETROFLEX SYSTEM



COMPONENT SPECIFICATIONS RW78024150

SOLAR ARRAY	780W (17' IN LENGTH) WITH ADJUSTABLE ALUMINUM ARRAY
LIGHTING	60W(2) LED MODULE @ 162 LUMENS PER WATT, DIMMABLE
BATTERY	24V - 75A(2) LITHIUM ION 1.8KWH (12+ YEARS LIFE EXPECTANCY)
CONTROLLER	ELECTRONIC MPPT CHARGE CONTROLLER / REGULATOR
LIGHTING CONTROLS	BLUETOOTH MONITORING
EPA (SQFT)	17.42